


Data source /


Data source . OptionWorkshop :

- Cgate;
- CQG Continuum;
- Interactive Brokers;
- IQFeed;
- QUIK.



:

1. Data source,  (Add transport) (. 1);



1 – Data source

(. 2).

Configure data source

Type

Interactive Brokers

Name

Interactive Brokers transport

Prefix

IB

☒ Enable transport

OptionWorkshop will add a "IB_" prefix to every account received from this data source.

Address

127.0.0.1

Use local machine address

Port

7496

Use default TWS port

Use default Gateway port

Client ID

0

OK

Cancel

2 –

2. **OK.** :
 - a. [CGate](#);
 - b. [CQG Continuum](#);
 - c. [Interactive Brokers](#);
 - d. [IQFeed](#);
 - e. [QUIK](#);
3. **Data source** (. 1).

(. 3).

Settings

Support

Add transport

Market data routing

Color scheme

Core

☒

Data source

☐

License

Notifications

Pricer

Proxy

Software updates

Type	Prefix	Name
Interactive Brok...	IB	Interactive Brokers transport
CQG Continuum	CQG	CQG Continuum transport

OK

Cancel


Help

3 –

, . . .


:

1. `c (. 4);`



4 –


2. **Enable transport** (. 5);



5 –

3. **Data source** (. 4).


(. 6).



6 –

Enable transport.


(. 7)



7 –



(. 8), :




8 –

-   – / ;
- **Restart all** – .

. :


1. **Market data routing** (. 9);



9 –




2. , (. 10[1] [2]), (. 10[3]) (. 10 [4]).
<default> .



3. K (. . 9).


.

(. 11):



11 –


-  –  (. 12), :
-   – / ;
- **Restart all** – .



12 –

- **Data source** – ;
- ▲ – / ();
- ▼ – ();
- ■ – ;
- ● – ;
- ● – ;
- ● – ;
- ● – ;
- ● – ;


- . – . (.);
- , OW.
(. 13).



13 –

:

- Resolve symbol;**
- (. 14[1]), , (. 14[2]).



14 –

Reject symbol .