


OptionWorkshop : QUIK Plaza 2.

QUIK

QUIK :

- 1. QUIK;
- 2. OptionWorkshop;
- 3. ;
- 4. .



Options Workshop QUIK :

 Unknown macro: 'html'

QUIK

QUIK 3 :

- 1. ###_SessionInfo.qpl;
- 2. ###_OptionsWorkshop.wnd;
- 3. .

 **Windows Vista Windows 7:** QUIK OptionWorkshop (Run as administrator) DDE.

, QUIK, (. 1).

1 –


RTS	RTS_SessionInfo.qpl	RTS_OptionsWorkshop.wnd
UX	UX_SessionInfo.qpl	UX_OptionsWorkshop.wnd

###_SessionInfo.qpl

 ###_SessionInfo.qpl OptionWorkshop. (– Program Files (x86)\IT Global\Options Workshop).


, OptionWorkshop , QUIK () ###_SessionInfo.qpl QPILE. :

1. QUIK ;



1 –


2. OptionWorkshop **###_SessionInfo.qpl**. SessionInfo;
3. SessionInfo (. 2,1), (. 2,2), – (. 2,3).



2 –


:

1. (. 3);



3 –

2. , (. 4).



4 —


###_OptionsWorkshop.wnd



###_OptionsWorkshop.wnd OptionWorkshop. (– Program Files (x86)\VT Global\Options Workshop).


:

1. , (. 5);




5 —

2. OptionWorkshop QUIK (. 6);




6 —

3. OptionWorkshop ###_OptionsWorkshop.wnd. 7.



7 —


(. 8) .



8 –

OptionWorkshop QUIK

OptionWorkshop QUIK , info.exe (QUIK) (. 9).



9 – QUIK

, , QUIK **Ctrl+Shift+L**. QUIK DDE.

i , OptionWorkshop QUIK **Ctrl+Shift+S**, **Ctrl+Shift+L**. , **Ctrl+Shift+L** , OptionWorkshop, QUIK DDE .

QUIK + OptionWorkshop

QUIK OptionWorkshop :

1. QUIK, ;

2. OptionWorkshop, ;
3. QUIK DDE.

QUIK

Options Workshop QUIK DDE QUIK. , , .

 Unknown macro: 'html'


Plaza 2

, Plaza2, 32-bit MTA [P2ClientGate](#).

 OptionWorkshop 64- P2ClientGate.

Plaza 2, OptionWorkshop (. 10) :

1. IP, ;
2. , ;
3. ;
4. ;
5. —;
6. —.



10 — Plaza 2

. 3 4 , Plaza 2 OptionWorkshop. , , OptionWorkshop, .

OptionWorkshop [AS:Local] client_router.ini (. 11).

```
[AS:Local]
myplaza2login_feed=password
myplaza2login_router=password
myplaza2login_transactions_router=password
```

11 —


:

1. login_feed=password;
2. login_router=password;
3. login_transactions_router=password.

, Plaza2 . .

:

1. , OptionWorkshop ;
2. , OptionWorkshop ;
3. , , .



12 –

:

- (QUIK Plaza2);
- ();

 Data source: Plaza2 ↑

13 – 2

- ();

 Data source: Plaza2 ↓

14 – 3

- ;

 Data source: Plaza2 ● ↓

15 – 4

- .

 Data source: Plaza2 ● ↓

16 – 5



, () .