


# Data source /


Data source . OptionWorkshop :

- Cgate;
- CQG Continuum;
- Interactive Brokers;
- IQFeed;
- QUIK.



:

1. Data source,  (Add transport) (. 1);



1 – Data source

(. 2).

Configure data source

Type

Interactive Brokers

Name

Interactive Brokers transport

Prefix

IB

☒ Enable transport

OptionWorkshop will add a "IB\_" prefix to every account received from this data source.

Address

127.0.0.1

Use local machine address

Port

7496

Use default TWS port

Use default Gateway port

Client ID

0

OK

Cancel

2 –

2. **OK.** :
  - a. [CGate](#);
  - b. [CQG Continuum](#);
  - c. [Interactive Brokers](#);
  - d. [IQFeed](#);
  - e. [QUIK](#);
3. **Data source** (. 1).

(. 3).

Settings

Support

Add transport

Market data routing

Color scheme

Core

☒

Data source

☐

License

Notifications

Pricer

Proxy

Software updates

| Type                | Prefix | Name                          |
|---------------------|--------|-------------------------------|
| Interactive Brok... | IB     | Interactive Brokers transport |
| CQG Continuum       | CQG    | CQG Continuum transport       |

OK


Cancel

Help

3 –


:

1. `c (. 4);`



4 –


2. **Enable transport** (. 5);



5 –

3. **Data source** (. 4).


(. 6).



6 –

Enable transport.


(. 7)



7 –



(. 8), :




8 –

-   – / ;
- **Restart all** – .


. :

1. **Market data routing** (. 9);



9 –

2.  (. 10[1] [2]), (. 10[3]) (. 10 [4]).  
<default> .




10 –



3. K (. . 9).


.

(. 11):



11 –

-  –  (. 12), :
-   – / ;
- **Restart all** – .




12 -

- **Data source** - ;
- - / ();
- - ();
- - ;
- - ;
- - ;
- - ;
- - .

:


- . - . ( . );
- , OW.  
(. 13).



13 -

:

- Resolve symbol;**
- (. 14[1]), , (. 14[2]).



14 -

Reject symbol .