

Settings

To open the **Settings** window click the **Settings** button.




Figure 1 – settings

To copy the Cryptographic service version select the number and press **Ctrl+C** keys on the keyboard.

On this page:

- [Start Cryptographic service automatically](#)
- [List of trusted sites](#)



If you use proxy server, in the proxy server settings you need to ensure that **Bypass proxy server for local addresses** checkbox is checked. Additional proxy server settings are not required.

Start Cryptographic service automatically

By default to start Cryptographic service you need:

1. Double-click on the shortcut;
2. In the opened window click the **Start** button.

To start Cryptographic service automatically when you start Windows, check the **Start the program when I start windows** checkbox. All settings must be saved by clicking the **Apply** button.




Figure 2 – start

List of trusted sites

The **Trusted sites** list contains sites for which the Cryptographic service is available. The **Denied sites** list contains sites for which the Cryptographic service is not available.




Figure 3 – list of trusted and denied sites

By default Web-client URL is specified in the trusted sites ([https://edor.nsd.ru\[1\]](https://edor.nsd.ru[1]) (RSA), <https://cabinet.nsd.ru/en> (valid till 6 June, 2017)).

- URL (test environment):
 - <http://repository1.itglobal.ru/lkr/> (PL);
 - <http://repository3.itglobal.ru/lkr/> (GUEST);
- URL (production environment):
 - GOST and RSA – <https://cabinet.nsd.ru/repository/>.

Websites lists can be edited. The principle of adding or deleting websites is the same for the trusted and denied list. To add the web-site, you need specify the URL in the field (Figure 4 [1]) and click the **Add** button (Figure 4 [2]).




Figure 4 – editing the lists of trusted and denied sites

In the opened confirmation window click the **Yes** button.




Figure 5 – confirmation window

To delete website from the list, click the **Delete** button (figure 4[3]).

To reset settings, click the **Reset** button.

All settings must be saved by clicking the **Apply** button.

Websites from the trusted sites list will not prompt the confirmation when you open the certificate store and work with the private keys.