


CQG Continuum


 CQG Continuum

CQG Continuum :


- 1. OW  ;
- 2. **Data source**,
- 3.  (Add transport), **CQG Continuum (. 1)**;



1 – Data source



4. (. 2[1]) **OK** (. 2[2]);



2 –

1 –


Type													
Name	, (.).												
Prefix	, ,												
Enable transport	, CQG , (.)												
	<table border="1"> <thead> <tr> <th></th> <th>Type</th> <th>Prefix</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td><input checked="" type="checkbox"/></td> <td>Interactive Brok...</td> <td>IB</td> <td>Interactive Brokers transport</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td>CQG Continuum</td> <td>CQG</td> <td>CQG Continuum transport</td> </tr> </tbody> </table>		Type	Prefix	Name	<input checked="" type="checkbox"/>	Interactive Brok...	IB	Interactive Brokers transport	<input checked="" type="checkbox"/>	CQG Continuum	CQG	CQG Continuum transport
	Type	Prefix	Name										
<input checked="" type="checkbox"/>	Interactive Brok...	IB	Interactive Brokers transport										
<input checked="" type="checkbox"/>	CQG Continuum	CQG	CQG Continuum transport										
Connection URL	A , OptionWorkshop. Default address. , Demo address. , .												
Username	CQG												
Password	CQG												
Request demo account	CQG												

5. **Data source** (. . 1).


CQG Continuum



1. **Request demo account;**
2. , , , ;



3 -



4 -

3. **Copy to clipboard** ;
4. .
Username Password.

⚙️ Configure data source ✕

Type

Name

Prefix

Enable transport

OptionWorkshop will add a "CQG1_" prefix to every account received from this data source.

Connection URL
Default address
Demo address

Username

Password