

# General settings

## Password change

Each user of a Web-client can change his password. This procedure is obligatory when first logging into the system. To change password do the following:

- open the Settings form (Fig. 1.1);
- enter old password (Fig. 1.2);
- enter new password (Fig. 1.3);

On this page:

- Password change
- Viewing information about the current certificate
- Information display settings
  - Settings of displayed columns
  - Filter settings

The new password must meet the following strength requirements:

- consist of at least ten characters;
- contain Latin uppercase and lowercase letters and numbers.

The new password must differ from the last ten used passwords.

- confirm new password (Fig. 1.4);
- click Change Password (Fig. 1.5).

The screenshot shows the 'Account settings' page in the NSD trade repository. The left sidebar contains a menu with 'Settings' highlighted (1). The main content area has three tabs: 'View information', 'Change password', and 'Cryptography'. The 'Change password' tab is active. It contains four input fields: 'Old password' (2), 'New password' (3), 'Password complexity' (set to 'Too simple'), and 'New password (repeat)' (4). A green 'Change password' button is visible (5).

Fig. 1 – password change

At first login into the system the Password has expired form will appear, and user will need to enter new password (Fig. 2.1), then repeat the password (Fig. 2.2) and click OK.

## Password expired

### Enter new password

New password  1

Password complexity  Too simple

New password (repeat)  2

3

Fig. 2 – password change after its expiry

If you forgot the password, contact the technical administrator to create a new password.

## Viewing information about the current certificate

In the Web-client you can view information about the current certificate by clicking on the icon on the top toolbar (fig. 3).



Figure 3 – certificate info

Information about the certificate appears after the certificates storage initialization (the signing or authorization in the Web-client in the production environment) (fig. 4 и 5).




Figure 4 – no information about the certificate

If the NSD Crypto service is used for cryptography in the browser, the button to reset the certificate for browser is available. Usually the button is used to test the certificate storage profiles. For the [Java-applet](#) and [ActiveX](#) the button is not available.



Figure 5 – to reset the certificate

## Information display settings

The data on master agreements, transactions, reports, applications and other documents are displayed in tables on the Web-client forms (Fig. 6.1).






Fig. 6 – Preparation form

For the convenience of working with information the user can do some display settings. Settings are configured using the toolbar, located above the main table (see Fig. 6.2). The toolbar differs depending on the form. All possible buttons are described in Table 1.

Table 1 – Description of the function panel buttons

Button	Configuration
	Configures the number of rows displayed in the table. After selecting option from the drop-down list it is applied automatically
	Configures displayed columns. Clicking on the button opens a visible columns settings dialog
	Configures filters for the table. Clicking on the button opens a block of filter settings
	Updates table
	Marks all rows as read
	Saves all table rows from all pages in one CSV file
	Switching between the rows of the table
	Goes to a defined page. Enter a page number in this field, then click the arrow button to go to that page
	Switching between pages

On the top panel there are an indicator of sync with the repository.

Total: 193 17:30 • 12 Oct 2016

5 [Tools] [Filter] [Refresh]

Last sync time:  
 17:30:55 • 12 Oct 2016 — Repository Messages  
 17:30:57 • 12 Oct 2016 — Client Messages  
 17:30:58 • 12 Oct 2016 — Informers Changes  
 17:30:54 • 12 Oct 2016 — Master Agreements  
 17:30:55 • 12 Oct 2016 — Contrats  
 17:30:56 • 12 Oct 2016 — Reports (MtM, T&E)

State	Register date	Contract	Product	Trade number for party 1
Active	2016-09-30 09:56	DS0000200531	Foreign exchange swap	FGP4M2909T02
Active	2016-09-28 16:03	DS0000200476	Foreign exchange swap	FGP5M2809T01
Active	2016-09-28 14:51	DR0000200486	Repo transaction	NONREF

Fig. 7 – Synchronization of the tables

The ordering of data rows in the table can be changed by clicking on the column header. A click on the header will display an icon that indicates the corresponding order of data sorting (ascending or descending order).



Fig. 8 – changing the order of data display

The font size settings is available in the Web-client for the convenience of viewing long text label in the table. To do this click font size button and select a value from the drop-down menu.

NSD trade repository Dashboard / Registration / Processing

VRINTGLOBAL3\_admin | VRINTGLOBAL3 | Log off

Registration Messages in processing

Font size: Normal (Selected), Small, Very small

Date []	Product	Type	Master agreement	Trade number for party 1	Trade number for party 2	Repository trade number	Trade date	Party 1	Party 2	Party 1's reporting agent	Party 2's reporting agent	Party 1's representative	Party 2's representative	Correlation ID
2014-02-26 17:54	General product	Registration request for contract "General product"	MA0000002353	test_retract_3-1		DZ0000078601		ITGlobal test1	ITGlobal test2	ITGlobal test3	ITGlobal test4	ITGlobal test8	ITGlobal test9	[VRINTGLOBAL3] (2014- [WEB03050369541948c46528e0ac9d01035])
2013-12-10 14:59	General product	Registration request for contract "General product"	MA0000002353			DZ0000074020		ITGlobal test1	ITGlobal test2	ITGlobal test3	ITGlobal test4	ITGlobal test8	ITGlobal test9	[VRINTGLOBAL3] (2013- [WEB01610063894941e79458110b076ad27])

Total: 2

Fig. 9 – font size settings

Threads of inactive master agreements are highlighted in yellow. Master agreements treated as inactive in cases when they has been terminated or not registered yet (not confirmed by counterparty).

The name of user's company that plays a role in the thread (under the master agreement the thread belongs to) is written in green.

Viewed message threads are written in gray.

## Settings of displayed columns

The



button is used to configure a set of displayed columns. The form of table settings, as exemplified by the master agreement table settings, is presented in Fig. 10.

### Table settings

Display hidden columns' data in a subrow

**Columns to display**

Registration date

Master agreement code

Party 1

Party 2

Instruments

Fig. 10 – master agreement table settings

The Show hidden column data checkbox controls the display of unmarked columns in additional table rows. The Displayed columns list defines a set of displayed columns. Closing a form automatically applies the specified settings. The example of a table in case if the Show hidden column data box is unchecked, and some of the Displayed columns checkboxes are unchecked, is shown in Fig. 11.

### Table settings

Display hidden columns' data in a subrow

**Columns to display**

Registration date

Master agreement code

Party 1

Party 2

Instruments

Registration date	Master agreement code	Instruments
2013-10-04 18 02	MA0000001923	Commodity swap, Foreign exchange swap
2013-10-03 11 08	MA0000001893	Interest rate swap
2013-10-01 11 02	MA0000001863	All instruments
2013-09-25 14 29	MA0000001812	Registration request form on contracts with a term of execution less than 4 working days concluded under the master agreements, Repo transaction
2013-09-24 18 36	MA0000001797	All instruments

Fig. 11 – example of master agreement table settings (if the Show hidden column data box is unchecked)

Example of a table if the Show hidden column data box is checked is shown in Fig. 12.

### Table settings

Display hidden columns' data in a subrow

**Columns to display**

Registration date

Master agreement code


Party 1

Party 2

Instruments

Registration date	Master agreement code	Instruments
2013-10-04 18 02	MA0000001923	Commodity swap, Foreign exchange swap
<b>Party 1:</b> ITGlobal test5 <b>Party 2:</b> ITGlobal test7 (our roles for this party: <b>Representative</b> )		
2013-10-03 11 08	MA0000001893	Interest rate swap
<b>Party 1:</b> ITGlobal test3 (our roles for this party: <b>Reporting agent, Representative</b> ) <b>Party 2:</b> Универсальный тестовый контрагент		
2013-10-01 11 02	MA0000001863	All instruments
<b>Party 1:</b> ITGlobal test4 (our roles for this party: <b>Reporting agent, Representative</b> ) <b>Party 2:</b> ITGlobal test1		
2013-09-25 14 29	MA0000001812	Registration request form on contracts with a term of execution less than 4 working days concluded under the master agreements, Repo transaction
<b>Party 1:</b> ITGlobal test3 <b>Party 2:</b> ITGlobal test5 (our roles for this party: <b>Representative</b> )		
2013-09-24 18 36	MA0000001797	All instruments
<b>Party 1:</b> IT Global LLC (our roles for this party: <b>Representative, Client</b> ) <b>Party 2:</b> Test client (EPAM)		

Fig. 12 – example of master agreement table settings


 The idea of table settings is the same for all forms.

## Filter settings

Clicking on



opens a block of row filters settings for the main table. Depending on the form content, filter settings can be different. Fig. 13 shows an example of a filter settings block for the Processing form of the [Registration](#) section.




The screenshot shows a filter settings block with the following elements:

- Buttons: **Apply** (with a checkmark icon) and **Reset** (with a circular arrow icon).
- Instrument types**: A dropdown menu with an equals sign (=) and the text "Choose instrument types".
- Date**: Two input fields labeled "Since" and "Till".
- Master agreements**: A dropdown menu with an equals sign (=) and the text "Choose master agreements".
- Search by string**: An input field with the placeholder text "Enter text for search".
- Parties**: A button labeled "Select...".
- Only unread**: A checkbox.
- Hidden**: A checkbox.

Fig. 13 – filter settings block for the Processing form


The principle of filters settings is the same for all forms. Filter parameters are selected in the settings block.

For the parametr Instrument types and Master agreements the Include/Not included buttons are available:



The screenshot shows the "Instrument types" filter settings. The dropdown menu is open, showing two selected items: "x repo [CM041]" and "x swap [CM032]". The equals sign (=) button is highlighted, indicating that the filter will be applied only to the selected types.

- – Filter will be applied only to selected types of instruments;



The screenshot shows the "Instrument types" filter settings. The dropdown menu is open, showing two selected items: "x repo [CM041]" and "x swap [CM032]". The not equals sign (≠) button is highlighted, indicating that the filter will be applied to all instruments with the exception of the selected ones.

- – Filter will be applied to all instruments with the exception of selected.

Then click




to apply filtering. As a result the table displays information meeting the specified conditions. If the filter was applied the appearance of the button will change to



. The second click on the button hides the block of filters settings. The Clear/



button clears the filter parameters.

 The filters settings are stored in the database. If there are several users on different computers, who use the same account, the filter settings will be applied on all computers. At the next login into the system the last used filter settings will be applied.

To make the main table of the form display records by certain master agreements you need to click in the search box and enter agreement code. As a result, the list will display agreements whose code fully or partially match the name typed in the search box (Fig. 14). Next, select the necessary agreement and click Apply to apply filtering.




Fig. 14 – selecting the master agreement

To start viewing messages, the master agreements of which have the necessary parties playing certain roles, click on the button **Select** on the filter settings bar (Fig. 15).




Fig. 15 – filter settings block

In the window that opens (Fig. 16), select the party by activate the checkbox. Then you need to refresh the table using the button




Fig. 16 – selecting the party